## MAR17-2016-007105

Abstract for an Invited Paper for the MAR17 Meeting of the American Physical Society

Emergent phenomena in phonon thermal transport

ANDREA CEPELLOTTI, University of California - Berkeley, Lawrence Berkeley National Lab, and Ecole Polytechnique Federale de Lausanne Switzerland

The thermal conductivity of insulating crystals originates from the energy transfer through lattice vibrations, as commonly described by the phonon Boltzmann transport equation. Since the pioneering work of Peierls, the prevalent hypothesis is that phonons are the heat carriers. However, it has long been known that this picture has shortcomings. For example, in materials of reduced dimensionality or at cryogenic temperatures, the scattering dynamics is dominated by momentum conserving - normal - processes, as opposed to momentum dissipating - Umklapp - processes. In these circumstances, heat flux is not lost at every scattering event. Instead, scattering shuttles heat flux through multiple phonon states, coupling them. As a result, collective phonon excitations arise, causing exotic phenomena: in 2D materials, they are responsible of high thermal conductivities and hydrodynamic behaviors, such as second sound, where temperature propagates as a damped wave, a phenomenon hitherto observed only in a few materials at cryogenic temperatures. I will show how these properties can be rationalized by introducing a gas of collective phonon excitations, called 'relaxons' [1]. Defined as the eigenvectors of the scattering matrix, relaxons allow for a simple - yet exact - interpretation of thermal conductivity in terms of a kinetic gas theory, where the relevant gas is made of such relaxons, the true heat carriers, and not phonons. These considerations provide a new explanation of the high conductivities of 2D materials, revise the time evolution of thermalization processes [2], correct the relevant time and length scale of heat flux dissipation, and provide a new viewpoint on semiclassical transport theories.

- [1] A. Cepellotti, and N. Marzari Phys. Rev. X 6, 041013 (2016)
- [2] J. Hu, et al., PNAS 113, 43, E6555 (2016)