

Abstract Submitted
for the APR16 Meeting of
The American Physical Society

Study of multiphonon $\gamma\gamma$ -band Of ^{156}Gd through Modified Soft Rotor Formula PARVEEN KUMARI, H. M. MITTAL, Dr.B.R Ambedkar National Institute of Technology — The structure of multiphonon $\gamma\gamma$ -band of ^{156}Gd is investigated by using the Modified Soft Rotor Formula (MSRF). The Modified Soft Rotor Formula proposed by Gupta et al. [1] is given as:

$$E(I) = EK + \frac{\hbar^2 I(I+1)}{2\theta(1+\sigma I)}, \quad (1)$$

where θ is moment of inertia, σ is known as softness parameter and EK is constant energy term. The calculated values of moment of inertia of $\gamma\gamma$ -band are almost equal to the moment of inertia of γ -band. The study of $K=2$ γ -band and $K=4$ $\gamma\gamma$ -band using MSRF yield good energy values. The small values of the softness parameter and positive values of moment of inertia are obtained for multiphonon band. The staggering pattern in γ -band and $\gamma\gamma$ -band are also studied. Recently, the study of multiphonon $\gamma\gamma$ -band in ^{112}Ru and isotopes of Mo have been done in Ref. [2]. References: [1] J. B. Gupta, S. Sharma and V. Katoch, *Pramana J. of Phys.*, 81, 75 (2013). [2] P. Kumari and H.M. Mittal, *Physica Scripta*, 90, 085304 (2015).

Parveen Kumari
Dr.B.R Ambedkar National Institute of Technology

Date submitted: 22 Dec 2015

Electronic form version 1.4