

Abstract Submitted
for the 4CF10 Meeting of
The American Physical Society

Systematic Neutron Scattering Investigation of Structural Evolution in Pyrochlores at Low and High Temperatures ADRIAN LOSKO, SVEN VOGEL, MAULIK PATEL, JAMES RYNE, Los Alamos National Laboratory — Pyrochlore structures $R_2Ti_2O_7$ (with R being a rare earth element) belong to the Fd-3m space group and the family of rare earth titanates. Recently, pyrochlores have attracted great attention as nuclear waste form and possible high temperature solid oxide fuel cell (SOFC) materials. Furthermore, $Dy_2Ti_2O_7$ was reported by several authors to be the first structure in which magnetic monopoles were observed. This latter observation is related to the existence of spin ice in these structures, a phenomenon referring to a geometrical frustrated magnetic system, whereby “frustration” describes the effects that occur when interactions of similar strength compete and prevent a system from settling into a unique ground state. In spin ices, like $Dy_2Ti_2O_7$, only the rare-earth atoms have a magnetic moment and these cations reside in a network of corner sharing tetrahedra forming the pyrochlore lattice. Here we present structural parameters such as cation ordering, bond lengths and bond angles to quantify the geometrical frustration and characterize the crystal structure over a temperature range from $\sim 5K$ to $1300K$.

Adrian Losko
Los Alamos National Laboratory

Date submitted: 10 Sep 2010

Electronic form version 1.4