

Abstract Submitted
for the DAMOP09 Meeting of
The American Physical Society

Interference between nonsequential and sequential two-photon double ionization in short XUV pulses¹ J. FEIST, R. PAZOUREK, S. NAGELE, E. PERSSON, J. BURGDÖRFER, Institute for Theoretical Physics, Vienna University of Technology, Austria, L.A. COLLINS, Theoretical Division, Los Alamos National Laboratory, USA, B.I. SCHNEIDER, Physics Division, National Science Foundation, USA — We investigate the effects of electron correlation in the two-photon double ionization of helium for ultrashort XUV pulses with durations ranging from a hundred attoseconds to a few femtoseconds. We perform time-dependent *ab initio* calculations of the two-electron Schrödinger equation. For photon energies above 65.4 eV, two-photon double ionization can proceed via two different channels: one where the intermediate state after one-photon absorption is the ground state of the He⁺ ion, and another where it is an excited (shake-up) state. The “nonsequential” contribution from the ground state channel can then interfere with the “sequential” contribution from the shake-up channel. The relative strength of these contributions is controlled by the pulse duration. This observation may provide a route toward measuring the pulse duration of FEL pulses.

¹Work supported by the FWF-Austria, Grant SFB016.

J. Feist
Institute for Theoretical Physics, Vienna University of Technology, Austria

Date submitted: 23 Jan 2009

Electronic form version 1.4