

Abstract Submitted
for the DAMOP09 Meeting of
The American Physical Society

Quantum Simulation of Magnetism with Ytterbium Ions MING-SHIEN CHANG, KIHWAN KIM, SIMCHA KORENBLIT, KAZI ISLAM, CHRISTOPHER MONROE, JQI and Department of Physics, University of Maryland — An array of cold trapped ions has recently been identified as a promising physical implementation of a quantum simulator [1,2], thanks to the tunable long range couplings between ions and its advanced status on quantum computation applications. In particular, ions coupled by tightly bound transverse normal modes allows more efficient cooling and wide tunability of the effective spin-spin couplings. We will report our most recent simulation results of quantum spin Hamiltonians with few trapped ytterbium ions, coupled by transverse modes. We will also discuss on how this may be scaled up to a much larger number of spins with anharmonic traps and using multiple transverse modes. This work is supported by the DARPA OLE Program under ARO contract, IARPA under ARO contract, the NSF PIF Program, and the NSF Physics Frontier Center at JQI. [1] D. Porras and J. I. Cirac, Phys. Rev. Lett. 92, 207901 (2004) [2] A. Friedenauer et al., Nat. Phys. 4, 757 (2008)

Ming-Shien Chang
JQI and Department of Physics, University of Maryland

Date submitted: 23 Jan 2009

Electronic form version 1.4