Abstract Submitted for the DAMOP16 Meeting of The American Physical Society

Theoretical Characterization of Visual Signatures and Calculation of Approximate Global Harmonic Frequency Scaling Factors<sup>1</sup> D. O. KASHINSKI<sup>2</sup>, R. G. NELSON, G. M. CHASE, O. E. DI NALLO, United States Military Academy, E. F. C. BYRD, Army Research Laboratory — We are investigating the accuracy of theoretical models used to predict the visible, ultraviolet, and infrared spectra, as well as other properties, of product materials ejected from the muzzle of currently fielded systems. Recent advances in solid propellants has made the management of muzzle signature (flash) a principle issue in weapons development across the calibers. A priori prediction of the electromagnetic spectra of formulations will allow researchers to tailor blends that yield desired signatures and determine spectrographic detection ranges. Quantum chemistry methods at various levels of sophistication have been employed to optimize molecular geometries, compute unscaled harmonic frequencies, and determine the optical spectra of specific gas-phase species. Electronic excitations are being computed using Time Dependent Density Functional Theory (TD-DFT). Calculation of approximate global harmonic frequency scaling factors for specific DFT functionals is also in progress. A full statistical analysis and reliability assessment of computational results is currently underway.

<sup>1</sup>work supported by the ARL, DoD-HPCMP, and USMA <sup>2</sup>travel supported by DoD-HPCMP

> D. O. Kashinski United States Military Academy

Date submitted: 31 Jan 2016

Electronic form version 1.4