

Abstract Submitted
for the DAMOP20 Meeting of
The American Physical Society

Development of a silicon photomultiplier module for ACME III¹

TAKAHIKO MASUDA, Okayama University, DANIEL ANG, Harvard University, JAMES CHOW, DAVID DEMILLE, Yale University, JOHN DOYLE, Harvard University, GERALD GABRIELSE, Northwestern University, ZHEN HAN, Yale University, BINGJIE HAO, Northwestern University, PEIRAN HU, Yale University, NICHOLAS HUTZLER, California Institute of Technology, DANIEL LASCAR, SIYUAN LIU, Northwestern University, COLE MEISENHELDER, Harvard University, CRISTIAN PANDA, University of California Berkeley, NOBORU SASAO, SATOSHI UETAKE, Okayama University, XING WU, Harvard University, Yale University, KOJI YOSHIMURA, Okayama University, ACME COLLABORATION — A search for the eEDM is one of the powerful ways to probe for the existence of physics beyond the standard model. The current upper limit of $1.1 \times 10^{-29} e\cdot\text{cm}$ has been achieved by the ACME experiment II which used cold ThO polar molecules. One of the upgrade plans for the next generation ACME experiment is a new fluorescence detection system based on a silicon photomultiplier (SiPM). SiPMs have higher quantum efficiency, $\sim 50\%$ at 512 nm, than the normal PMTs used in ACME II. To use SiPMs for ACME III, we are designing a cooling system to reduce the dark count rate and a preamplifier and shaper to overcome the relatively slow bandwidth of SiPMs. We developed a prototype module and characterized its performance. We will present the current status of SiPM development including prototype tests.

¹RECTOR program of Okayama University

Takahiko Masuda
Okayama University

Date submitted: 31 Jan 2020

Electronic form version 1.4