

Abstract Submitted
for the DFD12 Meeting of
The American Physical Society

Quantitative analysis of the role of symmetry in biomimetic propulsive wakes¹ VERONICA RASPA, RAMIRO GODOY-DIANA, BENJAMIN THIRIA, PMMH UMR 7636 CNRS-ESPCI-UPMC Paris 6, Paris 7 — We address here the understanding of how animal propulsion is related to flow physics in biomimetic locomotion. It is known that the wake pattern observed in a cross-section behind swimming or flying animals is typically characterized by the presence of periodical vortex shedding. However, depending on species, propulsive wakes are distinguished by their spatial ordering: symmetric (squid-like) or asymmetric (fish-like), with respect to the motion axis. We conducted a very precise experiment to analyse the role of the wake topology in propulsion generation. Self-propulsion is achieved by the flapping motion of two identical pitching rigid foils, separated by a distance d . By keeping the momentum input unchanged, we compared both symmetric and asymmetric flapping modes. For the entire parameters range, the symmetric squid-like mode proves to be more efficient for thrust generation than the fish-like asymmetrical one. We show that this difference is due to a pressure effect related to the ability of each wake to produce, or not, significant mixing in the near wake region.

¹We acknowledge support from the French National Research Agency through project No. ANR-08-BLAN-0099 and of EADS Foundation through project “Fluids and elasticity in biomimetic propulsion.”

Veronica Raspa
PMMH UMR 7636 CNRS-ESPCI-UPMC Paris 6, Paris 7

Date submitted: 25 Jul 2012

Electronic form version 1.4