

Abstract Submitted  
for the DFD13 Meeting of  
The American Physical Society

**Can consecutive droplet deposition yield uniform liquid films?<sup>1</sup>**

ANNE JUEL, ALICE THOMPSON, CARL TIPTON, ANDREW HAZEL, University of Manchester, MARK DOWLING, Cambridge Display Technology — Ink-jet printing is being used to manufacture highly customizable electronic components through the successional deposition of overlapping droplets of conductive ink onto a substrate. For vanishing contact angles, the fluid drops merge together on the substrate to form a wide, uniform thread. However, in practical operating regimes involving moderate contact angles, the fluid is redistributed to form non-uniform patterns, characterized by the development of an initial wide bulge (larger than any individual drop). This “head” is sometimes followed by a sequence of secondary bulges connected by narrow rivulets. We conduct new experiments with high-speed imaging to examine the morphological development of the thread resulting from the deposition of a moderate number of successive micro-scale drops ( $< 80$ ) that may form up to two secondary bulges. We demonstrate that the spatial structure of the ink formation resulting from this complex deposition process can be predicted quantitatively with a simple physical model that incorporates contact angle hysteresis. The head formation occurs robustly due to an inviscid mechanism, while the secondary bulge formation arises from viscous effects.

<sup>1</sup>EPSRC

Anne Juel  
University of Manchester

Date submitted: 27 Jul 2013

Electronic form version 1.4