

Abstract Submitted
for the DFD13 Meeting of
The American Physical Society

The effect of surfactants on path instability of a rising bubble¹

YOSHIYUKI TAGAWA, Tokyo University of Agriculture and Technology, SHU TAKAGI, YOICHIRO MATSUMOTO, The University of Tokyo — We experimentally investigate the surfactant effect on path instability of an air bubble rising in quiescent water. An addition of surfactant varies the gas-water boundary condition from zero shear stress to non-zero shear stress. We report three main findings: firstly, while the drag force acting on the bubble increases with the surfactant concentration as expected, the lift force shows a non-monotonic behavior; secondly, the transient trajectory starting from helical to zigzag is observed, which has never been reported in the case of purified water; lastly, a bubble with the intermediate slip conditions between free-slip and no-slip show a helical motion for a broad range of the Reynolds number. Aforementioned results are rationalized by considering the adsorption-desorption kinetics of the surfactants on gas-water interface and the wake dynamics.

¹Y.T. thanks for financial support from Grant-in-Aid for JSPS Fellows (20-10701). We also thank for Grant-in-Aid for Scientific Research (B) (21360079).

Yoshiyuki Tagawa
Tokyo University of Agriculture and Technology

Date submitted: 29 Jul 2013

Electronic form version 1.4