

Abstract Submitted
for the DFD15 Meeting of
The American Physical Society

Hybrid molecular-continuum techniques for micro and nano flows

JASON REESE, School of Engineering, University of Edinburgh, UK, KONSTANTINOS RITOS, Department of Mechanical & Aerospace Engineering, University of Strathclyde, UK, MATTHEW BORG, School of Engineering, University of Edinburgh, UK, DUNCAN LOCKERBY, School of Engineering, University of Warwick, UK — Nano- and micro-confined fluid flows are often characterised by non-continuum effects that require special treatment beyond the scope of conventional continuum-fluid modelling. However, if the flow system has high-aspect-ratio components (e.g. long narrow channels) the computational cost of a fully molecular-based simulation can be prohibitive. In this talk we present some important elements of a heterogeneous molecular-continuum method that exploits the various degrees of scale separation in both time and space that are very often present in these types of flows. We demonstrate the ability of these techniques to predict the flow of water in aligned carbon nanotube (CNT) membranes: the tube diameters are 1-2 nm and the tube lengths (i.e. the membrane thicknesses) are 2-6 orders of magnitude larger. We compare our results with experimental data. We also find very good agreement with experimental results for a 1 mm thick membrane that has CNTs of diameter 1.59 nm. In this case, our hybrid multiscale simulation is orders of magnitude faster than a full molecular dynamics simulation.

Jason Reese
School of Engineering, University of Edinburgh, UK

Date submitted: 01 Aug 2015

Electronic form version 1.4