Abstract Submitted for the DFD15 Meeting of The American Physical Society

Characterization of Intracellular Streaming and Traction Forces in Migrating Physarum Plasmodia SHUN ZHANG, Univ of California - San Diego, OWEN LEWIS, University of Utah, ROBERT GUY, Univ of California -Davis, JUAN CARLOS DEL ALAMO, Univ of California - San Diego — Physarum plasmodium is a model organism for cell migration that exhibits fast intracellular streaming. Single amoebae were seeded and allowed to move on polyacrilamide gels that contained 0.5-micron fluorescent beads. Joint time-lapse sequences of intracellular streaming and gel deformation were acquired respectively in the bright and fluorescent fields under microscope. These images were analyzed using particle image velocimetry (PIV) algorithms, and the traction stresses applied by the amoebae on the surface were computed by solving the elastostatic equation for the gel using the measured bead displacements as boundary conditions. These measurements provide, for the first time, a joint characterization of intracellular mass transport, the forces applied on the substrate and the signal of free intracellular calcium with high resolution in both time and space, enables a through study about the locomotive mechanism, shedding light on related biomimetic research. The results reveal a pronounced auto-oscillation character in intracellular flow, contact area, centroid speed and strain energy, all with the same periodicity about 100 seconds. Locomotion modes that were distinct in flow/ traction stress pattern as well as migration speed have been discovered and studied.

> Shun Zhang Univ of California - San Diego

Date submitted: 01 Aug 2015

Electronic form version 1.4