

Abstract Submitted  
for the DFD20 Meeting of  
The American Physical Society

**Theoretical and experimental analysis of superhydrophilic and superhydrophobic nanostructured surfaces with tunable zeta potentials<sup>1</sup>**

AKTARUZZAMAN AL HOSSAIN, MENGYING YANG, State Univ of NY - Stony Brook, ANTONIO CHECCO, Hofstra University, GREGORY DOERK, Brookhaven National Laboratory, CARLOS COLOSQUI, State Univ of NY - Stony Brook — We present a theoretical and experimental analysis of the zeta potential of superhydrophilic and superhydrophobic nanostructured surfaces with different heights (60 to 200 nm) over a range of pH (4 and 8) and concentrations (.3 to 30 mM) of aqueous KCl and NaCl solutions. The experimental determination of the zeta potential via macroscale electrokinetic flow measurements is enabled by a surface fabrication protocol based on block-copolymer self-assembly that is suitable for producing conical nanopillars of precisely controlled height and period over macroscale surface areas. Surfaces fabricated on silicon display superhydrophilicity and superhydrophobicity is attained after coating with octadecyltrichlorosilane (OTS). Negative zeta potentials are reported for all the studied surfaces. While varying the nanostructure height can suppress the zeta potential of hydrophilic surfaces at certain pH and electrolyte concentrations, the hydrophobic OTS coating generally enhances the zeta potential. Our experimental results are accounted for by a site-dissociation model for the surface charge and a hydrodynamic model for the slip length. The studied surfaces are relevant for applications in energy conversion/storage and membrane-based separation.

<sup>1</sup>This work has been supported by the Office of Naval Research (award N00014-16-1-31) and the National Science Foundation CBET-2016204.

Carlos Colosqui  
State Univ of NY - Stony Brook

Date submitted: 10 Aug 2020

Electronic form version 1.4