

Abstract Submitted  
for the DPP05 Meeting of  
The American Physical Society

**The Role of the  $m/n = 3/2$  Tearing Mode in the Hybrid Scenario<sup>1</sup>**

P.A. POLITZER, General Atomics, DIII-D TEAM — The hybrid scenario has been proposed as a robust operating scenario for high performance operation of ITER. Understanding the physics of the hybrid regime will allow more confident implementation. In these plasmas,  $J(0)$  is lower and  $q(0)$  is higher than in comparable conventional plasmas. A key feature in DIII-D hybrids is an  $m/n = 3/2$  NTM. This island structure is associated with the reduction ( $q_{95} \leq 4$ ) or elimination ( $q_{95} \geq 4$ ) of sawteeth. Decreasing the sawtooth amplitude reduces or eliminates a trigger for the deleterious  $m/n = 2/1$  NTM, which limits beta in the conventional H-mode scenario. The effect of the  $3/2$  mode on sawteeth has been shown using localized ECCD ( $\leq 50$  kA) to enhance or suppress the mode amplitude. With co-ECCD the mode is suppressed and sawteeth appear. With counter-ECCD the  $3/2$  amplitude increases and small pre-existing sawteeth are suppressed. A variety of physical mechanisms may be involved in the regulation of  $q(0)$  and the sawteeth by the  $3/2$  mode. Because the stationary state always has  $q(0)$  close to one, it is likely that the observed  $2/2$  component of the  $3/2$  mode is playing a role.

<sup>1</sup>Work supported by U.S. DOE under DE-FC02-04ER54698.

P.A. Politzer  
General Atomics

Date submitted: 23 Jul 2005

Electronic form version 1.4