

Abstract Submitted
for the DPP06 Meeting of
The American Physical Society

Irvine FRC Equilibria Measurements E. TRASK, W.S. HARRIS, W.W. HEIDBRINK, E.P. GARATE, A. VAN DRIE, J.M. LITTLE, University of California, Irvine — We plan on launching lower hybrid waves into our axially-symmetric **F**ield **R**eversed **C**onfiguration. Lower hybrid wave propagation depends strongly on both the magnetic and density profiles. We therefore must have good maps of our magnetic field and densities as a function of radius and axial position. The field and density mapping is done using two 3-D magnetic probe arrays, two axial magnetic probe arrays, a 140 GHz interferometer, and a triple probe. Each 3-D array consists of 30 flux loops at 10 different radial positions. We have made magnetic field measurements at different axial positions, giving us all three field components as a function of radius and axial distance. Our two fixed axial arrays measure the axial field at two different radial positions. They provide a reference for comparisons between different shots when the radial array moves. Reversed fields of ~ 100 Gauss have been observed. The 140 GHz interferometer and triple probe combination has given us line densities of high 10^{14}cm^{-2} with peak densities of $2 \times 10^{13}\text{cm}^{-3}$.

Erik Trask

Date submitted: 20 Jul 2006

Electronic form version 1.4