

Abstract Submitted  
for the DPP06 Meeting of  
The American Physical Society

**Numerical Methods for Real-Geometry Simulation in SUMMIT/PG3EQ\_NC**<sup>1</sup> D.E. SHUMAKER, A.M. DIMITS, Lawrence Livermore National Laboratory, J.N. LEBOEUF, University of California, Los Angeles — SUMMIT/PG3EQ\_NC is a nonlinear gyrokinetic  $\delta f$ -PIC code for turbulence simulations in realistic axisymmetric geometry, which uses the quasiballooning representation for the field quantities. The key algorithms, their motivation, properties, and implementation are summarized. Sample code results, both using real DIII-D equilibria, as specified by EFIT, ONETWO, and PLOTEQ analyses, and using simplified non-circular equilibria will be shown. A central component of PG3EQ\_NC is the field solver. This uses a first order Pade representation of the multispecies quasineutrality equation to enable it to work with spatially dependent equilibrium coefficients as occur in global simulations. Optimization of (the coefficients in) the Pade fit makes it highly accurate for the wavenumber range of interest over a wide range of species concentrations and temperatures. Our graphical package, including recent real-geometry upgrades, for plotting PG3EQ\_NC field quantities on sections in real space will be described, and sample plots will be shown.

<sup>1</sup>This work is performed for USDoE by UC-LLNL under contract W-7405-ENG-48 and UCLA under grant DE-FG02-04ER54740.

Andris Dimits  
Lawrence Livermore National Laboratory

Date submitted: 24 Jul 2006

Electronic form version 1.4