

Abstract Submitted  
for the DPP07 Meeting of  
The American Physical Society

**Suppression of Weibel Instabilities in Advanced Fast Ignition  
Laser Fusion Pellets by Two Cone-Guided Relativistic Laser Beams<sup>1</sup>**

V. STEFAN, Nikola Tesla Laboratories, Stefan University, 1010 Pearl, La Jolla, CA 92038-2946 — I propose utilization of two cone-guided relativistic laser beams in antiparallel interaction with the fusion pellet as a novel approach for the suppression of Weibel instabilities in the core of advanced fast ignition pellets.<sup>2</sup> The propagation of generated suprathermal electron beam toward the core may lead to the appearance of colossal ( $\sim 10$ MG), small scale ( $L \sim$ velocity of light/local electron plasma frequency<sup>3</sup>) magnetic fields. This would suppress the transport of magnetic fields into the core of the pellet and may eliminate the difficulties in the nonlinear-relativistic treatment of magnetized core plasma.

<sup>1</sup>Supported by Nikola Tesla Laboratories, La Jolla, CA 92038-2946.

<sup>2</sup>M. Tabak, J. Hammer, M.E. Glinsky, W.L. Kruer, S. C. Wilks, J. Woodworth, E. M. Campbell, and M.D. Perry, Phys. Plasmas 1 (5), 1626 (1994).

<sup>3</sup>V. Stefan, Suppression of Weibel Instabilities by High-Harmonic Electron Bernstein Modes in Advanced Fast Ignition Laser Fusion Pellets. APS-2006. October 30-November 3, 2006; Philadelphia, Pennsylvania.

V. Stefan  
Nikola Tesla Laboratories, Stefan University,  
1010 Pearl, La Jolla, CA 92038-2946

Date submitted: 17 Jul 2007

Electronic form version 1.4