

Abstract Submitted  
for the DPP08 Meeting of  
The American Physical Society

**Sawtooth Crash Modifications to Intermediate- $k$  Turbulence and Flows on DIII-D**<sup>1</sup> J.C. HILLESHEIM, W.A. PEEBLES, T.L. RHODES, L. SCHMITZ, T.A. CARTER, P.A. GOURDAIN, G. WANG, University of California-Los Angeles — Initial data from the new multichannel Doppler backscattering and reflectometry diagnostic system on DIII-D are presented including results showing increased intermediate- $k$  ( $k_{\perp}\rho_s \sim 2$ ,  $k_{\perp} \sim 6-7 \text{ cm}^{-1}$ ) density fluctuations and flow velocity modifications associated with the sawtooth crash. In Ohmic plasmas at radial location  $\rho \cong 0.4$ , density fluctuation propagation velocity excursions of up to  $\sim 9 \text{ km/s}$  from an equilibrium of  $\sim 0 \text{ km/s}$  and relaxation back to equilibrium in less than  $200 \mu\text{s}$  are observed. Density fluctuation levels are observed to increase within the same period and to remain at a higher level for an additional  $200-500 \mu\text{s}$ . Details and capabilities of the new multichannel (currently 4-channel) system for simultaneous multipoint measurements with frequencies separated by  $350 \text{ MHz}$  and tunable in the range  $53-78 \text{ GHz}$  are described.

<sup>1</sup>Supported by US DOE under DE-FG02-08ER54984. JCH's work performed through the DOE-ORISE FES Fellowship Program.

J.C. Hillesheim  
University of California-Los Angeles

Date submitted: 18 Jul 2008

Electronic form version 1.4