

Abstract Submitted  
for the DPP11 Meeting of  
The American Physical Society

**An Isolated Divertor for Reactor Scale Tokamaks<sup>1</sup>** A.W. LEONARD, M.A. MAHDAVI, T.W. PETRIE, General Atomics — A divertor configuration is proposed to address the requirements of a reactor scale tokamak. A reactor divertor must dissipate heat flux over a wide area and reduce erosion to a tolerable level for component lifetime, while simultaneously allowing for a high performance core plasma at a density compatible with efficient current drive. A configuration with the divertor strike point at large major radius, similar to a “Super-X” geometry reduces  $q_{||}$  with magnetic flux expansion from the X-point to the divertor target. This may allow for containment of a cold dense detached plasma in the divertor region while maintaining a high pressure pedestal. Divertor baffling may also be designed for enhanced containment of the radiating divertor plasma. This configuration has the potential to provide heat flux control at a lower core density compared to a standard configuration. Initial experiments on DIII-D exploring this concept will be described. Concepts of how this approach may be pursued in DIII-D will also be presented.

<sup>1</sup>Work supported by the US Department of Energy under DE-FC02-04ER54698.

Tony Leonard  
General Atomics

Date submitted: 15 Jul 2011

Electronic form version 1.4