

Abstract Submitted
for the DPP19 Meeting of
The American Physical Society

Toward the Modeling of Chains of Plasma Accelerator Stages with WarpX¹ JEAN-LUC VAY, ANN ALMGREN, DIANA AMORIM, JOHN BELL, REVATHI JAMBUNATHAN, RMI LEHE, ANDREW MYERS, JAEHONG PARK, OLGA SHAPOVAL, MAXENCE THVENET, WEIQUN ZHANG, LBNL, MARK HOGAN, LIXIN GE, CHO NG, SLAC, DAVID GROTE, LLNL — One of the most challenging application of plasma accelerators is the development of a plasma-based collider for high-energy physics studies. Fast and accurate simulation tools are essential to study the physics toward configurations that enable the production and acceleration of very small beams with low energy spread and emittance preservation over long distances, as required for a collider. The Particle-In-Cell code WarpX is being developed by a team of the U.S. DOE Exascale Computing Project (with non-U.S. collaborators on part of the code) to enable the modeling of chains of tens of plasma accelerators on exascale supercomputers, for collider designs. The code combines the latest algorithmic advances (e.g., boosted frame, pseudo-spectral Maxwell solvers) with mesh refinement and runs on the latest CPU and GPU architectures. The application to the modeling of up to three successive multi-GeV stages will be discussed. The latest implementation on GPU architectures will also be reported, as well as novel algorithmic developments.

¹Supported by the Exascale Computing Project (17-SC-20-SC), a collaborative effort of two U.S. Department of Energy organizations (Office of Science and the National Nuclear Security Administration).

Jean-Luc Vay
Lawrence Berkeley National Laboratory

Date submitted: 01 Jul 2019

Electronic form version 1.4