

Abstract Submitted
for the GEC18 Meeting of
The American Physical Society

Quantum Fractals to Kneading Sequences¹ ANASTASIA PRADITHA ADELINA,SE, Kompas-TV, Jl. Palmerah Selatan 1 - Jakarta 10270, IRENE PRASTIYANI,SS, Office of Chief-Editor of "KOMPAS" daily — Those were "function transformation & Mandelbrot set" described in Bonanno's "kneading sequences" to "when the Φ_q transformation is **iterated** " from Arkadiusz Jadczyk 2006's "**Quantum Fractals, Geometric Modeling of Quantum Jumps into Conformat Maps**" further sought Lapidus, *et.al* :"**Fractal Strings & Multifractal zeta functions**" – 2009 . To explains "fluxions" from Isaac Newton [1642 – 1727] in The Riemann Integral we usually dealt with Riemann zeta function fro Catherine Zeta- Jones retrieved by HE. Mr. Prof. THE HOUW LIONG,PhD fom Prodi of Physics ITB. FORMAPPI[Forum Masyarakat Peduli Parlemen INDONESIA] evovles through "**Dynamics of Continued Fractions & Kneading Sequences of unimodal MAPS**" instead excerpts bifurcation etc...

¹Heartftt gratuities to HE. Mr. Dr-HC JAKOB OETAMA HE. Mr. Drs. P. SWANTORO

Anastasia Praditha Adelina,SE
Kompas-TV, Jl. Palmerah Selatan 1 - Jakarta 10270

Date submitted: 12 Jun 2018

Electronic form version 1.4