

Abstract Submitted
for the MAR06 Meeting of
The American Physical Society

Supported Gold and Platinum Clusters: Stability under Vacuum and Hydrogen at Elevated Temperatures; Optical Properties¹
STEFAN VAJDA, RANDALL WINANS, GREGORY BALLENTINE, ALEXANDRE BOUHELIER, JEFFREY ELAM, BYEONGDU LEE, MICHAEL PELLIN, SOENKE SEIFERT, GEORGE TIKHONOV, GARY WIEDERRECHT, Argonne National Laboratory — The Achilles heel of supported clusters remains their low stability at elevated temperatures or when exposed to reactive gases. In this paper, the stability of Au_n and Pt_n clusters (n=6-10) supported on SiO₂, Al₂O₃ & TiO₂ films is addressed. The clusters were heated in vacuum and in H₂ atmosphere, their stability monitored by synchrotron grazing incidence small angle X-ray scattering. Pt clusters supported on Al₂O₃ did not undergo sintering in vacuum and when exposed to hydrogen during a lengthy heat treatment reaching 400C; Au clusters on SiO₂ remained stable up to 350C. These temperatures are considerably higher than those characteristic for the onset of the catalytic activity of these clusters. Results on heat-induced structural isomerization of clusters will be shown. Single-particle UV-VIS spectra of Au-particles obtained by dark-field microscopy will be presented as well.

¹This work was supported by the U.S. Department of Energy, Office of Basic Energy Sciences, Division of Chemical Sciences, Geosciences, and Biosciences under contract number W-31-109-ENG-38

Stefan Vajda
Argonne National Laboratory

Date submitted: 30 Nov 2005

Electronic form version 1.4