

Abstract Submitted
for the MAR07 Meeting of
The American Physical Society

Dewetting of a Polymer Melt on a Chemically Identical Brush¹

OPHELIA TSUI², XUEYUN ZHANG³, Department of Physics, Hong Kong University of Science and Technology, Hong Kong, China. — The use of an end-grafted polymer or oligomer layer has been a popular means of engineering surfaces with designable wetting properties. We investigated the factors governing the equilibrium states of the autophobic polystyrene/polystyrene brush/SiO₂/Si model system, namely the ratio of the molecular weight of the homopolymer to that of the brush, r , and the grafting density of the brush, σ . We found that the wettability of the polymer melt film on the brush – as measured by the residual thickness, d , of the final dewetted film – decreased monotonically with increasing r or σ . The experimentally determined form of the $d(r,\sigma)$ curves and the polymer-brush interfacial tensions can be described reasonably well by the self-consistent field theory.

¹We are grateful to the Research Grant Council of Hong Kong for supporting this work.

²Currently in Department of Physics, Boston University, Boston, MA, USA.

³Currently in Department of Chemical Engineering, Hong Kong University of Science and Technology, Hong Kong, China.

Ophelia Tsui
Boston University

Date submitted: 19 Nov 2006

Electronic form version 1.4