

Abstract Submitted  
for the MAR07 Meeting of  
The American Physical Society

**Block Copolymer Films for Organizing Charged Biopolymers<sup>1</sup>**

JUNG HYUN PARK, YUJIE SUN, YALE GOLDMAN, RUSSELL COMPOSTO, University of Pennsylvania — Amphiphilic block copolymers are attractive templates for organizing biopolymers. In aqueous media, selective attachment is achieved by designing a hydrophilic block that is attractive towards biomolecules. Thin films of poly(styrene-*b*-*tert*-butyl acrylate) (PS-*b*-PtBA) (66.2k-32k) are converted to poly(styrene-*b*-acrylic acid) (PS-*b*-PAA) by thermal deprotection resulting in PAA spheres embedded in a PS matrix. Upon exposing PS-*b*-PAA films to buffered solutions at pH 7.4, PAA spheres, initially below the surface, swell and break through the surface to form a hexagonal array with short range order. To create positively charged patches, PS-*b*-PAA films are exposed to 3-aminopropyltriethoxysilane (APTES) which selectively cross-link the spherical PAA domains. Because these patches favorably attract negatively charged biopolymers such as F-actin, microtubules, and DNA, the PS-*b*-PAA thin film provides a tunable template for controlling the number and orientation of biopolymers arranged across the surface.

<sup>1</sup>We acknowledge financial support of Nano / Bio Interface Center at the University of Pennsylvania and the U. S. National Science Foundation under grant number DMR-0425780.

Jung Hyun Park  
University of Pennsylvania

Date submitted: 20 Nov 2006

Electronic form version 1.4