

Abstract Submitted
for the MAR07 Meeting of
The American Physical Society

Interaction of Transition Metals with Carbon Nanostructures¹

SHENYUAN YANG, International Center for Quantum Structures and Institute of Physics, Chinese Academy of Sciences, The University of Tennessee, MINA YOON, The University of Tennessee, Oak Ridge National Laboratory, ENGE WANG, International Center for Quantum Structures and Institute of Physics, Chinese Academy of Sciences, ZHENYU ZHANG, Oak Ridge National Laboratory, The University of Tennessee — Recent theoretical studies have shown that transition-metal (TM) decorated carbon nanotubes and fullerenes may serve as promising media for hydrogen storage. However, one prerequisite for this functionality is that the metal atoms decorate the carbon nanostructures as a homogeneous layer. To date, no experimental evidence supports this feasibility; instead, several subsequent studies indicated strong preference of clustering by the TM atoms. In this talk, we investigate several possible ways to prevent TM clustering on the surfaces of carbon nanostructures, based on first-principles total energy calculations. First, we discuss the energetics and kinetics of various TMs as they interact with carbon nanostructures. We then explore the possibility to suppress or enhance clustering by electron or chemical doping.

¹Supported by CAS, The BES program of USDOE, & USNSF.

Shenyuan Yang
ICQS/IOP, CAS & UT

Date submitted: 30 Nov 2006

Electronic form version 1.4