

Abstract Submitted
for the MAR07 Meeting of
The American Physical Society

Langevin dynamics simulations of PEO brushes in aqueous solutions FANG YIN, DMITRY BEDROV, GRANT SMITH, University of Utah — We have conducted extensive equilibrium and non-equilibrium simulations of poly(ethylene oxide) brushes in aqueous solutions using coarse-grain implicit solvent model. In equilibrium simulation we focused on studying a repulsive force between two brushes as a function of surface coverage and chain length. In the non-equilibrium simulation we attempted to mimic the conditions of the quartz crystal microbalance with dissipation (QCM-D) technique frequently used to analyze the mass change and viscoelasticity of an absorbate. To obtain an understanding of energy dissipation mechanism of PEO brush from a molecular level, we use Langevin dynamics method to study the viscoelasticity of the PEO chains attached on the surface under the oscillation, matching the dissipation shift part measured in QCM-D. We study the effect of frequency and amplitude of the oscillation impacted on the attached surface, grafting density, and grafting pattern (singly-bound and doubly-bound) on both loss tangent and dynamic moduli of PEO brush. Normal mode of PEO brush is also compared with that of PEO solution with equivalent volume fraction.

Fang Yin
University of Utah

Date submitted: 01 Dec 2006

Electronic form version 1.4