

Abstract Submitted
for the MAR07 Meeting of
The American Physical Society

UVO Tunable Superhydrophobic to Superhydrophilic Wetting Transition on Biomimetic Nanostructured Surfaces ALAMGIR KARIM, JOONG TARK HAN, SANGCHEOL KIM, NIST — A novel strategy for a tunable sigmoidal wetting transition from superhydrophobicity to superhydrophilicity on a continuous nanostructured hybrid film via gradient UV-ozone (UVO) exposure is presented. Along a single wetting gradient surface (40 mm), we could visualize the superhydrophobic ($\theta_{H_2O} > 165^\circ$ and low contact angle hysteresis), transition ($165^\circ > \theta_{H_2O} > 10^\circ$) and superhydrophilic ($\theta_{H_2O} < 10^\circ$ within 0.5 s or less) regions simply through the optical image of water droplets on the surface. The film is prepared through layer-by-layer assembly of negatively charged silica nanoparticles (11 nm) and positively charged poly(allylamine hydrochloride) with a initial deposition of fractal manner. The extraordinary wetting transition on chemically modified nanoparticle layered surfaces with submicron to microns scale pores represents a competition between chemical wettability and hierarchical roughness of surfaces as often occurs in nature (e.g., lotus leaves, insect's wings, etc).

Alamgir Karim
NIST

Date submitted: 06 Dec 2006

Electronic form version 1.4