

Abstract Submitted  
for the MAR08 Meeting of  
The American Physical Society

**Water permeable nanotubes from amphiphilic block copolymers**

JIUN-TAI CHEN, MINGFU ZHANG, LING YANG, University of Massachusetts Amherst, MARGARET COLLINS, David R. Cawley Middle School, JIM PARKS, West Springfield Middle School, ARMANDO AVALLONE, East Naples Middle School, THOMAS RUSSELL, University of Massachusetts Amherst — We used anodic aluminum oxide (AAO) membranes to generate nanotubes of the cylinder-forming polystyrene-block-poly(ethylene oxide) (PS-b-PEO) copolymer. The PS-b-PEO solution was introduced into the cylindrical nanopores of an AAO membrane by capillary force and polymeric nanotubes formed after solvent evaporation. Owing to the water solubility of the cylindrical PEO microdomains and the orientation of the cylindrical PEO microdomains with respect to the nanotube walls, the nanotubes were permeable to aqueous media. We also prepared PS-b-PEO nanotubes inside amorphous carbon nanotubes (a-CNTs) where the microphase separated morphology could serve as a template for functionalizing the interior of the carbon nanotubes.

Jiun-Tai Chen  
University of Massachusetts Amherst

Date submitted: 26 Nov 2007

Electronic form version 1.4