

Abstract Submitted
for the MAR08 Meeting of
The American Physical Society

Determination of Magnetic Directions in Multiferroic BiFeO₃ Thin Films M.B. HOLCOMB, L.W. MARTIN, Y.H. CHU, UC Berkeley, A. SCHOLL, E. ARENHOLZ, Advanced Light Source, Lawrence Berkeley National Laboratory, S.Y. YANG, T. CONRY, Q. HE, R. RAMESH, UC Berkeley — BiFeO₃(BFO), a ferroelectric and an antiferromagnet, is the only single phase room temperature multiferroic that is currently known. Multiferroics are interesting materials not only because of their exciting order parameters, but for the potential for parameter coupling. In order to understand the magnetoelectric coupling, the individual order parameters must first be understood. A combination of in-plane and out-of-plane piezoresponse force microscopy (PFM) allows 3D mapping of the ferroelectric polarization directions in micron-sized regions of the films. The magnetic order of BFO was obtained by using x-ray linear and circular dichroism images using a photoelectron emission microscope (PEEM). Angle dependent structural measurements allow decoupling of the two order parameters, ferroelectric and magnetic, contributing to the photoemission signal. Careful analysis of linear and circular dichroism images at critical angles allows determination of magnetic directions in BiFeO₃. These studies reveal a strain-driven reduction in magnetic symmetry in thin films, leading to the formation of an easy magnetic axis as opposed to the observed easy plane for bulk films. This reduction along with the previous proof of FE-AFM coupling allows electrical control of its magnetic axis.

Mikel Holcomb
UC Berkeley

Date submitted: 02 Dec 2007

Electronic form version 1.4