

Abstract Submitted  
for the MAR08 Meeting of  
The American Physical Society

**Temperature studies of multiferroic TbMnO<sub>3</sub> with resonant Raman scattering** ILKA MAHNS, M. BASTJAN, B. SCHULZ, S. MUELLER, A. RUSYDI, M. RUEBHAUSEN, IAP, University of Hamburg, Germany, N. ALIOUANE, D.N. ARGYRIOU, HMI, Berlin, Germany, H. BARATH, M. KIM, S.L. COOPER, Dept. of Physics and Frederick Seitz Materials Research Laboratory, University of Illinois at Urbana-Champaign, Illinois — Using temperature dependent resonant Raman scattering with different excitation energies from the ultraviolet (UV) to near infrared (NIR), we have investigated the complex interplay between the orbital, structural and magnetic ordering in the multiferroic material TbMnO<sub>3</sub>. Depending on the scattering geometry, the magnetic transition at the Néel temperature at 41 K or the ferroelectric transition at  $T_f = 28$  K is observed. In resonance studies with an incident frequency of 1.91 eV, the Jahn-Teller mode shows a strong softening below  $T_N$ . In the low frequency spectra, a quasielastic response is identified. The results give information about the electron-phonon coupling and the correlations between electronic and structural degrees of freedom that contribute to the multiferroic behavior in TbMnO<sub>3</sub>.

Ilka Mahns  
IAP, University of Hamburg, Germany

Date submitted: 11 Dec 2007

Electronic form version 1.4