

Abstract Submitted  
for the MAR08 Meeting of  
The American Physical Society

**Phase diagram for Bi<sub>1-x</sub>Ca<sub>x</sub>MnO<sub>3</sub> ( $x < 0.4$ )** YUHAI QIN, TREVOR TYSON, New Jersey Institute of Technology, SANG-WOOK CHEONG, Rutgers University, XIAO-NONG XU, Nanjing University — The multiferroic BiMnO<sub>3</sub> system, in which ferroelectric and ferromagnetic orders can coexist, has attracted much research work in the past years for its potential technological applications. For the more general system Bi<sub>1-x</sub>Ca<sub>x</sub>MnO<sub>3</sub>, the phase diagram for the Ca rich region ( $x > 0.4$ ) has been established[1]. In order to understand the multiferroic behavior near the  $x=0$  system, the hole-doped region ( $0 < x < 0.4$ ) was investigated. We have completed the magnetic, transport, and structural phase diagram of Bi<sub>1-x</sub>Ca<sub>x</sub>MnO<sub>3</sub>, by performing detailed structural (XRD and XAFS), magnetization (ZFC/FC) and electrical measurements on Bi<sub>1-x</sub>Ca<sub>x</sub>MnO<sub>3</sub> ( $0 < x < 0.4$ ), showing the transition from the highly distorted monoclinic phase to the orthorhombic phase. This work is supported by NSF DMR-0512196 and DOE Grant DE-FG02-07ER46402. [1] H. Woo, et al, Phys. Rev. B: Condensed Matter and Materials Physics 63, 134412/1 (2001).

Yuhai Qin  
New Jersey Institute of Technology

Date submitted: 27 Nov 2007

Electronic form version 1.4