

Abstract Submitted  
for the MAR08 Meeting of  
The American Physical Society

**Interplay of Magnetic and Structural Anisotropy in Co|Ni Multilayer Thin Films** JOSEPH DVORAK, NSLS, BNL, KATHRYN KRYCKA, NCNR, NIST, JEAN-MARC BEAUJOUR, WENYU CHEN, ANDREW KENT, New York University, CHI-CHANG KAO, NSLS, BNL — Interfacial perpendicular magnetic anisotropy (PMA) is important for spin transfer devices and has been predicted to overcome dipolar shape anisotropy for  $[t \text{ Co}|2t \text{ Ni}]$  multilayers with thicknesses,  $t$ , of  $4 \text{ \AA}$  or less [1]. Layered between Cu, however, thickness dependent PMA ( $t=1, 2, 3, 4$  and  $6 \text{ \AA}$ ) is not sufficiently strong to produce perpendicular magnetization. Anomalous diffraction reveals that the Co and Ni are expansively strained by the Cu within the sample plane. As calculated in reference 2 this trigonal strain would be sufficient to overcome the PMA. Ferromagnetic resonance measurements [3] indicate that the net Lande  $g$ -factors are enhanced above bulk for all thicknesses, and increase further with decreasing layer thickness. By applying element-specific x-ray magnetic circular dichroism (XMCD) we have been able to study the Co and Ni individually. Both elements show increasing spin to orbit ratios with decreasing thickness magnetized either in-plane or along sample normal. In all cases the spin to orbit ratio is enhanced along the sample normal compared with the in-plane direction.

[1] Phys. Rev. Lett. 68, 682 (1992)

[2] Phys. Rev. B 69, 104426 (2004)

[3] Eur. Phys. J. B 59, 475 (2007)

Kathryn Krycka  
NCNR, NIST

Date submitted: 05 Dec 2007

Electronic form version 1.4