

Abstract Submitted
for the MAR09 Meeting of
The American Physical Society

Enhanced local lattice distortions with the antiferromagnetic transition in the multiferroic LuMnO₃ DESPINA LOUCA, University of Virginia, THOMAS PROFFEN, Los Alamos National Laboratory, SEUNG-HUN LEE, University of Virginia, SANG-WOOK CHEONG, Rutgers University — The ferroelectric hexagonal manganite, LuMnO₃, has been investigated via neutron scattering and the pair density function analysis to determine the nature of the local atomic distortions with the antiferromagnetic transition, T_N , of the Mn ions. While in previously reported neutron diffraction data, it was shown that all atomic coordinates changed based on symmetry considerations with T_N , we hereby show that it is the ferroelectric motion of the Lu ions coupled with O distortions that exhibits a strong temperature dependence below T_N as reflected in the Lu-O bonds. This suggests an enhancement of the net electric polarization below T_N . At the same time, the motion of the apical O1 and O2 ions distorts the MnO₅ bipyramids, leading to more buckling of the ab-layers. However, the Mn ions do not appear to distort significantly away from their equilibrium position. The oxygen distortions induced with the spin reorientations below T_N may be the cause for the Lu ion displacements through electrostatic interactions and this in turn produces coupling to the electric dipole moments.

Despina Louca
University of Virginia

Date submitted: 14 Nov 2008

Electronic form version 1.4