

Abstract Submitted  
for the MAR09 Meeting of  
The American Physical Society

**Effective Interactions, Structure and Phase Behavior of Polymer Nanocomposites with Nonspherical Fillers** LISA M. HALL, KENNETH S. SCHWEIZER, University of Illinois at Urbana-Champaign — The Polymer Reference Interaction Site Model is applied to study polymer-mediated inter-nanoparticle interactions, fluid structure, and miscibility of nonspherical filler particles in a melt of adsorbing freely-jointed chains. The behavior of hard rod, disk, and cube-like nanoparticles are compared. The depletion contact aggregation, dispersed, and polymer bridging mediated nanoparticle network states of organization are sensitive to filler shape. A detailed study of thin rod fillers, including the rod-rod potential of mean force and second virial coefficient,  $B_2$ , as a function of polymer-rod and rod-rod attraction strengths, has also been performed. A primary goal is to identify design rules for dispersing nanotubes in polymer melts. Shortening the spatial range of rod-rod attraction compared to polymer-rod attraction increases miscibility. The transition from positive to negative  $B_2$  at low polymer-rod interfacial attraction (entropic depletion) occurs more readily (at higher attraction strength) as rod-rod attraction is increased. However, the transition to negative  $B_2$  at high polymer-rod attraction strength, driven by polymer-induced enthalpic bridging of rods, is relatively invariant to inter-rod attraction strength. Increasing rod length reduces the stabilizing consequences of polymer adsorption and the attendant steric repulsion.

Lisa Hall  
University of Illinois at Urbana-Champaign

Date submitted: 17 Nov 2008

Electronic form version 1.4