

Abstract Submitted
for the MAR09 Meeting of
The American Physical Society

Electronic properties of manganite / titanate superlattices¹

MARIA VARELA, H. CHRISTEN, H.N. LEE, L. PETIT, T. SCHULTHESS, S. PENNYCOOK, Oak Ridge Natl. Lab., J. GARCIA-BARRIOCANAL, A. RIVERA, F.Y. BRUNO, Z. SEFRIQUI, C. LEON, J. SANTAMARIA, Univ. Complutense, Spain — Here we report on the study of LaMnO₃/SrTiO₃ interfaces. While LMO in bulk is an antiferromagnetic Mott insulator and STO is a band insulator, LMO/STO superlattices exhibit ferromagnetism and in some cases metallicity, both of which can be tuned by changing the layer thicknesses. We will compare the structure, chemistry and electronic properties of LMO/STO interfaces in high quality superlattices grown by pulsed laser deposition and high O₂ pressure sputtering. The distribution of defects and electronic properties will be studied through aberration corrected electron microscopy and electron energy loss spectroscopy. PLD superlattices show two alternating interface terminations, LaO-TiO₂ and SrO-MnO₂, which cause an asymmetry in the LMO layer electronic properties. Superlattices grown by sputtering only show one termination, LaO-TiO₂, giving an overall electron doping to the system. The role of interfacial charge transfer or localization, and any changes in electronic properties due to structural relaxations induced by epitaxial strain will be examined.

¹Research sponsored by US DOE and ORNL LDRD.

Maria Varela
Oak Ridge Natl. Lab.

Date submitted: 21 Nov 2008

Electronic form version 1.4