

Abstract Submitted
for the MAR09 Meeting of
The American Physical Society

Magnetism by nonmagnetic defects in a 2D BN sheet: *ab initio* studies RU-FEN LIU¹, CHING CHENG, Phys. Depart. and NCTS, Natl. Cheng Kung Univ., Taiwan — This study attempts to resolve: 1) whether a long-range magnetic order can be established in a sp material, 2) whether the magnetic properties can be controlled through defects in the previous systems. Through studying different defects concentrations in a 2D BN sheet by the first-principles methods, we found that, despite most of the defects doped BN sheet only lead to formations of local moments, there are systems exhibiting long-range ordered magnetic moment with estimated $T_C \approx 70\text{K}$ [PRB 76, 014405 (2007)]. Our latest results demonstrate that a ferromagnetic free electron gas due to Stoner instability is possible to develop[RFL&CC, to be published]. This result is contrary to the direct transition from paramagnetism to Wigner crystal in a 2D uniform electron gas established recently [N.D. Drummond&R.J. Needs, to be published]. A contrastive study between this Stoner magnet, i.e. a defect system with N atoms replaced by O impurities (O_N), and a metallic ferromagnetic systems with localized moments (Si_B) throughout all the considered defect concentrations is studied by their band structure, partial DOS's and the defect-concentration-dependent magnetization energies.

¹LCM3B, Faculté des Sciences et Techniques, Nancy1, France

Ru-Fen Liu
LCM3B, Faculté des Sciences et Techniques, Nancy1

Date submitted: 19 Nov 2008

Electronic form version 1.4