

Abstract Submitted
for the MAR09 Meeting of
The American Physical Society

Directional control of the inverse superconducting spin-switch¹

CRISTINA VISANI, NORBERT M. NEMES, MIRKO ROCCI, CHRISTIAN MILLER, JAVIER GARCIA-BARRIOCANAL, DIEGO ARIAS, ZOUHAIR SEFRIQUI, CARLOS LEON, JACOBO SANTAMARIA, Universidad Complutense de Madrid, Spain, MAR GARCÍA-HERNÁNDEZ, Instituto de Ciencia de Materiales de Madrid, Spain, SUZANNE G. E. TE VELTHUIS, AXEL HOFFMANN, Argonne National Laboratory, MIKE R. FITZSIMMONS, Los Alamos National Laboratory — We report results on the study of spin dependent transport in $\text{La}_{0.7}\text{Ca}_{0.3}\text{MnO}_3/\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}/\text{La}_{0.7}\text{Ca}_{0.3}\text{MnO}_3$ trilayers, focusing on the effects induced by magnetic anisotropy of the LCMO. The study of magnetic anisotropy through the combination of transport measurements, magnetometry, x-ray magnetic circular dichroism and polarized neutron reflectometry, allowed us to unravel the origin of the inverse superconducting spin switch. Applying the magnetic field along the easy axis we obtained a plateau-like response reflecting a well defined antiparallel alignment of the LCMO layers over a wide magnetic field range yielding large magnetoresistance that we ascribe unambiguously to the spin dependent transport.

¹Work supported by Spanish MICINN and DOE-BES.

Cristina Visani
Universidad Complutense de Madrid, Spain

Date submitted: 07 Dec 2008

Electronic form version 1.4