

Abstract Submitted  
for the MAR10 Meeting of  
The American Physical Society

**Selective Isolation of Single-Walled Carbon Nanotubes Using Density Gradient Ultracentrifugation** PEI ZHAO, GEORGIA LAGOUDAS, ERIK EINARSSON, JUNICHIRO SHIOMI, SHIGEO MARUYAMA — We present a protocol to selectively isolate single-walled carbon nanotubes (SWNTs) using density gradient ultracentrifugation (DGU). Starting with SWNTs synthesized by the alcohol catalytic chemical vapor deposition (ACCVD) method and using sodium deoxycholate (DOC) and sodium dodecyl sulfate (SDS) as co-surfactant encapsulating agents we achieved isolation of SWNTs with different properties. By changing the order in which surfactants were added, SWNTs could be separated into colorful layers containing different chiralities or diameters, such as (6,5) in a violet layer. However, if the co-surfactants are both added to disperse SWNTs, subsequent DGU results in the simultaneous selection of (6,5) nanotubes and separation of semiconducting/metallic nanotubes. Various optical spectroscopies, such as optical absorbance and photoluminescence excitation (PLE) were used to characterize the SWNTs before and after DGU. A time-dependent sequence of the simultaneous selection and separation shows that three main portions—corresponding to semiconducting, metallic, and (6,5) nanotubes—clearly have different moving behavior during the DGU process. This method illustrates the potential for nanotube isolation and separation, and we believe that further refinement of this process can lead to higher purity extractions of SWNTs.

Pei Zhao

Date submitted: 16 Nov 2009

Electronic form version 1.4