

Abstract Submitted
for the MAR10 Meeting of
The American Physical Society

Diffusion of Small Penetrants in Polybutadienes¹ AHMED E. ISMAIL, GARY S. GREY, FLINT PIERCE, MATHEW C. CELINA, Sandia National Laboratories — Polybutadiene is a high-volume synthetic rubber with a low glass transition temperature that can be made in a wide range of forms from pure *cis* to pure *trans* conformations. In spite of its industrial importance, there is significant variance in the observed diffusivity of small penetrants through polybutadiene for both experiment and simulation. We use explicit-atom molecular dynamics simulations to model the diffusivity of the penetrants water, oxygen, and methanol in three polybutadiene systems, all *cis*-1,4, all *trans*-1,4 and a microstructure of 40% *cis*-1,4, 50% *trans*-1,4, and 10% vinyl monomeric units. In addition to varying the monomeric composition, we also study the effects of varying the chain length of the polybutadiene molecules, temperature and penetrant concentration. The trajectories of individual molecules are analyzed to determine if the “caging” and “hopping” phenomena observed by Müller-Plathe for methane in polyethylene occurs.

¹Sandia is a multiprogram laboratory operated by Sandia Corporation, a Lockheed Martin Company, for the United States Department of Energy’s National Nuclear Security Administration under contract DE-AC04-94AL85000.

Ahmed Ismail
Sandia National Laboratories

Date submitted: 29 Dec 2009

Electronic form version 1.4