

Abstract Submitted
for the MAR10 Meeting of
The American Physical Society

Crosslinked Matrix-free Nanocomposites BENJAMIN DACH¹,
HERNAN RENGIFO², NICHOLAS TURRO³, JEFFREY KOBERSTEIN⁴,
Columbia University — Matrix-free polymer-silica nanocomposites are formed by
crosslinking polymer coated nanoparticles via the ‘click’ reaction. The ‘click’ reac-
tion is also known as Huisgen 1, 3-dipolar cycloaddition of terminal alkyne and azide
functional groups to give 1, 2, 3-triazoles. Silica nanoparticles are functionalized with
alkyne and azide moieties. Heterobifunctional α,ω -trimethylsilane-alkyne,azide-
poly(styrene) (TMS-PS-N₃) and α,ω -trimethylsilane-alkyne,azide-poly(*tert*-butyl
acrylate) (TMS-PtBA-N₃) are then covalently bound to the surfaces of the nanopar-
ticles via the ‘click’ reaction. The bare and modified nanoparticles are analyzed by
diffuse reflectance infrared Fourier transform spectroscopy (DRIFTS). The thermal,
morphological, and mechanical properties of the systems are investigated by thermo-
gravimetric analysis (TGA), transmission electron microscopy (TEM), and dynamic
rheology, respectively. .

¹Department of Chemistry and Chemical Engineering

²Department of Chemical Engineering

³Department of Chemistry and Chemical Engineering

⁴Department of Chemical Engineering

Benjamin Dach
Columbia University

Date submitted: 25 Nov 2009

Electronic form version 1.4