

Abstract Submitted
for the MAR10 Meeting of
The American Physical Society

Successive Magnetic Transitions of the Kagome Plane and Field-Driven Chirality in $\text{BaMn}_{2.49}\text{Ru}_{3.51}\text{O}_{11}$ ¹ LANCE DE LONG, LARYSA SHLYK, SEAN PARKIN, University of Kentucky — The magnetization of single-crystal $\text{BaMn}_{2.49}\text{Ru}_{3.51}\text{O}_{11}$ exhibits anomalies at temperatures $T_1 = 183$ K, $T_2 = 171$ K and $T_3 = 128$ K, which signal complex magnetic order induced by competing ferro- and antiferro-magnetic correlations, and magnetic frustration within the Kagome (hexagonal **ab**-) plane. The T_2 - and T_3 -anomalies and unconventional transverse magnetoresistance are observed only for magnetic field \mathbf{H} applied in the Kagome plane. We conclude a topological Hall effect (THE) is generated by non-zero scalar chirality K_S of spins canted out of the Kagome plane, but is suppressed in a collinear structure induced by only modest in-plane fields. $\text{BaMn}_{2.49}\text{Ru}_{3.51}\text{O}_{11}$ is a unique example of an unusually large and anisotropic THE in a magnetically ordered state. The THE is driven by nonzero scalar spin chirality and can be controlled by unusually modest applied fields $\mu_o H < 1$ T, implying low-field alteration of scalar spin chirality may provide a new way to control electronic properties in magnetic materials having requisite non-centrosymmetric structure.

¹Research at the University of Kentucky was supported by U.S. DoE Grant #DOE-FG02-97ER45653.

Lance De Long
University of Kentucky

Date submitted: 27 Nov 2009

Electronic form version 1.4