

Abstract Submitted  
for the MAR10 Meeting of  
The American Physical Society

**Optical Integral and Sum Rule violation** SAURABH MAITI, ANDREY CHUBUKOV, Dept. of Physics, University of Wisconsin-Madison, Madison, WI-53706 — We perform direct calculations of conductivities and optical integrals ( $W$ ) in the normal and superconducting states of the cuprates to look at the dependence of their difference ( $\Delta W$ ) on the upper cut-off ( $\omega_c$ ) placed on the optical integral and the effect of the bandwidth. Our calculations indicate that the frequency cut-off imposed by the bandwidth plays an important role in the sum rule violation. In the presence of lattice  $\Delta W$  (as calculated from the Kubo band sum rule) need not approach zero for large  $\omega_c$ . For BCS model 95% of the spectral weight in the optical sum is recovered up to the bandwidth. But for other models - the single mode model and the collective mode model, only 70%-80% is recovered. We conclude that for all cases but BCS, there is a significant cut-off dependence as far as the recovery of the optical sum is concerned. We argue that  $\Delta W$  between the superconducting and the normal state remains negative and point out the differences with the original mode model that claimed to explain positive shift of  $\Delta W$ . We find that the collective mode model with moderate coupling exhibits behavior consistent with the measured  $\Delta W$  in the cuprates.

Saurabh Maiti  
Dept. of Physics, University of Wisconsin-Madison, Madison, WI-53706

Date submitted: 20 Nov 2009

Electronic form version 1.4