

Abstract Submitted
for the MAR11 Meeting of
The American Physical Society

Passage from Spin-Polarized Surface States to Unpolarized Quantum Well States in Topologically Nontrivial Sb Films GUANG BIAN, University of Illinois at Urbana-Champaign, THOMAS MILLER, University of Illinois, TAI-CHANG CHIANG, University of Illinois at Urbana-Champaign, CNL TEAM — Topological insulators, which possess robust gapless surface states as a result of strong spin-orbit coupling, have attracted much interest because of their unusual surface spin structures. When such materials are reduced to ultrathin films, the spin-split surface states must connect, by analytic continuation, to quantum well states, which are spin-unpolarized in centrosymmetric systems. We report herein a combined experimental and theoretical study of this passage from polarized to unpolarized states in Sb films. Bulk Sb is semimetallic with a negative band gap; nevertheless, it shares the same topological order as $\text{Bi}_{1-x}\text{Sb}_x$ ($0.07 < x < 0.2$), the first material identified as a three-dimensional topological insulator. Angle-resolved photoemission (ARPES) from Sb films, aided by first-principles calculations, shows smooth dispersion relations associated with this passage; the spin polarizations of the two states fade away, while the energy splitting is maintained through the emergence of different charge density patterns of the resulting quantum well states.

Guang Bian
University of Illinois at Urbana-Champaign

Date submitted: 15 Nov 2010

Electronic form version 1.4