

Abstract Submitted
for the MAR11 Meeting of
The American Physical Society

Stress induced roughening of superclimbing dislocation in solid

⁴He¹ DARYA ALEINIKAVA, ANATOLY KUKLOV, CSI, CUNY — We investigate numerically superclimb [1] of dislocation in solid ⁴He biased by externally imposed chemical potential μ . The effective action takes into account quantum phase slips in the core superfluid as well as the core displacement in Peierls potential within the Granato-Lücke string model. The bias produces stress on the core and this can result in dislocation roughening. Such roughening is characterized by hysteretic behavior at temperatures (T) below some threshold T_{hyst} . At $T > T_{\text{hyst}}$ strong resonant peaks develop in the dislocation differential response. These peaks exhibit periodic behavior vs μ , with the period determined by Peierls potential and dislocation length. We explain these effects by thermally assisted tunneling of jog-antijog pairs across the barrier created by Peierls potential and the bias. Since superclimbing is controlled by core superflow, speed of sound along the superfluid core exhibits dip-like features at the peak positions. We propose that this effect is seen in the mass transport experiment [2].

[1] S. G. Söyler, et al, Phys. Rev. Lett. **103**, 175301 (2009).

[2] M. W. Ray and R. B. Hallock, Phys. Rev. Lett. **105**, 145301 (2010).

¹We acknowledge support by NSF, grants PHY1005527 and PHY0653135, and by CUNY, grant 63071-00 41.

Darya Aleinikava
CSI, CUNY

Date submitted: 17 Nov 2010

Electronic form version 1.4