

Abstract Submitted
for the MAR11 Meeting of
The American Physical Society

Probing In-Plane Diffusion of Nano-Confined Polymers in Ultrathin Films JOSHUA KATZENSTEIN, University of Texas at Austin - Department of Chemical Engineering, JUSTIN CHANDLER, University of Texas at Austin, HALEY HOCKER, CHRISTOPHER ELLISON, University of Texas at Austin - Department of Chemical Engineering — In-plane (parallel to the substrate) polymer diffusion at and near interfaces has significant implications for polymeric surfactants used in tertiary oil recovery, exfoliation of clay sheets in polymer nano-composites, and several other high technology applications. Here, we report a study on the in-plane diffusion of whole polymer chains confined between interfaces using fluorescence recovery after photobleaching. Adapted from quantitative biology, FRAP provides a platform to independently study the effect of temperature, molecular weight, and film thickness on in-plane diffusion of polymers confined between interfaces. Fluorescently labeled polymers were synthesized, spin coated onto quartz substrates and the self-diffusion coefficient was measured by irreversibly photobleaching fluorophores in a pre-defined pattern and monitoring recovery of fluorescence over time. Preliminary results indicate that for thick films the diffusion coefficient is consistent with bulk values.

Joshua Katzenstein
University of Texas at Austin - Department of Chemical Engineering

Date submitted: 17 Nov 2010

Electronic form version 1.4