

Abstract Submitted
for the MAR11 Meeting of
The American Physical Society

The effect of Surface Neutrality on ODT of PS-b-PMMA films

EUNHYE KIM, SEUNGHOO CHOI, RUI GUO, DU YEOL RYU, Yonsei University, CRAIG J. HAWKER, University of California, Santa Barbara, THOMAS P. RUSSELL, University of Massachusetts, Amherst, YONSEI UNIVERSITY TEAM, UNIVERSITY OF CALIFORNIA COLLABORATION, UNIVERSITY OF MASSACHUSETTS COLLABORATION — The film transitions, the order-to-disorder transition (ODT), has been investigated in a symmetric polystyrene- b-poly(methyl methacrylate) (PS-b-PMMA) on a random copolymer (P(S-r-MMA)) grafted substrate where the interfacial interactions are balanced. With decreasing film thickness less than $25L_0$, the ODT significantly decreases, because the interfacial interactions by a random copolymer grafted to the substrate provide a surface-induced compatibilization toward two block components. However, a plateau of the ODT for films thicker than $25L_0$ was observed above the bulk value. The elevation of this ODT indicates a suppression of compositional fluctuations normal to the film surface, more than likely because the dominant orientation of the lamellar microdomains was found to be parallel to the film surface.

Eunhye Kim
Yonsei University

Date submitted: 16 Dec 2010

Electronic form version 1.4