

Abstract for an Invited Paper
for the MAR11 Meeting of
The American Physical Society

Ferroelectric polarization in the magnetic world

JUN HEE LEE, Department of Physics and Astronomy, Rutgers University

Switchable spontaneous polarization in ferroelectrics is produced by a structural distortion of a high-symmetry reference phase which lowers the symmetry to a polar space group. Under certain conditions, this structural distortion and symmetry breaking can also induce ferromagnetism and other changes, such as a metal-insulator transition, allowing the possibility of electric and magnetic field control. In this talk, I will present first-principles illustrations of specific materials realizations of the rich variety of this behavior in magnetic perovskite oxides, identified using a database of first-principles calculations of the full phonon dispersions of a range of magnetic perovskites, including the d3 compounds SrMnO₃ and SrCaO₃, the d5 compounds BiFeO₃, and the series SrMO₃ (M= V, Cr, Mn, Fe, Co). First, I will discuss an epitaxial-strain-induced multiferroic phase produced by large spin-phonon coupling in SrMnO₃ [1]. Then, I will turn to colossal magnetoresistance based on a ferromagnetic-metal/antiferromagnetic-ferroelectric phase boundary with epitaxial strain in SrCoO₃, which exhibits typical ferromagnetic metallic character in room-temperature but with a large spin-phonon coupling by which antiferromagnetic ordering favors a polar distortion. Lastly, I will discuss the identification of perovskite superlattice systems in which the symmetry lowering produced layer-by-layer ordering produces a phase with ferroelectrically-induced weak ferromagnetism. I will present first-principles calculations demonstrating these behaviors in BaMnO₃/SrMnO₃ superlattices and other systems which could provide robust experimental realizations.

[1] J. H. Lee and K. M. Rabe, "Epitaxial-strain-induced multiferroicity in SrMnO₃ from first principles," Phys. Rev. Lett. 104, 207204 (2010)