

Abstract Submitted  
for the MAR11 Meeting of  
The American Physical Society

**Influence of Ionic Strength on Chain Dimension in Polyelectrolyte Brushes at Aqueous Solution Interface**<sup>1</sup> KOJI MITAMURA, MOTOYASU KOBAYASHI, JST, ERATO & Kyushu Univ., MAYUMI TERADA, JST, ERATO, NORIFUMI L. YAMADA, KEK, ATSUSHI TAKAHARA, JST, ERATO & Kyushu Univ. — Polyelectrolyte brush on a solid surface in water generally has a swollen structure and provides high lubricity on the surface. Previously, we have reported that friction force on a cationic poly(2-(methacryloyloxy)ethyltrimethyl-ammonium chloride) (PMTAC) brush in an aqueous medium increased with NaCl concentration, of which reason was not clear but probably due to a shrinkage of the swollen brush with the addition of salt. In this study, we investigated the salt concentration dependency of the chain dimension in PMTAC brush at the aqueous solution interfaces by neutron reflectometry. We also estimated how polydispersity in molecular weight of the brush influences the chain dimension.

<sup>1</sup>The present work was supported in S-type research project in KEK (2009S08).

Koji Mitamura  
JST, ERATO

Date submitted: 24 Nov 2010

Electronic form version 1.4