

Abstract Submitted  
for the MAR11 Meeting of  
The American Physical Society

**Achiral structure of B4 phase in a Bent-Core Liquid Crystal<sup>1</sup>**

DONG CHEN, MICHAEL-SCOTT HEBERLING, JOSEPH MACLENNAN, MATTHEW GLASER, NOEL CLARK, Liquid Crystal Materials Research Center, University of Colorado at Boulder, HIDEO TAKEZOE, Department of Organic and Polymeric Materials, Tokyo Institute of Technology — Bent-core smectic layers have a tendency to exhibit spontaneous saddle-splay curvature, driven by the intralayer structural mismatch. In the chiral B4 phase, the tendency for twist in the orientation of neighboring molecules coupled with the saddle-splay curvature lead to the formation of helical nanofilaments with either clockwise or anticlockwise twist. In addition to the helical nanofilament structure, we observe another microscopic structure in P12OPIMB, which is achiral, with no helical twist. This coffee-bean-like microstructure is dominated by saddle-splay curvature, like the dark conglomerate phase, but appears to have three dimensional order. The origin of these structures will be discussed.

<sup>1</sup>This work is supported by NSF MRSEC Grant DMR0820579 and NSF Grant DMR0606528.

Dong Chen  
Liquid Crystal Materials Research Center, University of Colorado at Boulder

Date submitted: 19 Nov 2010

Electronic form version 1.4