

Abstract Submitted
for the MAR11 Meeting of
The American Physical Society

Tunable terahertz emission from Bi₂Sr₂CaCu₂O₈ mesa devices¹

TIMOTHY BENSEMAN, ULRICH WELP, WAI-KWONG KWOK, ALEXEI KOSHELEV, Materials Science Division, Argonne National Laboratory, Argonne, IL 60439, CIHAN KURTER, University of Maryland, LUTFI OZYUZER, Izmir Institute of Technology, Turkey, KAZUO KADOWAKI, TAKASHI YAMAMOTO, University of Tsukuba, Japan — The so-called “terahertz gap,” covering frequencies from approximately 0.3 to 1.5 THz, is of particular interest for a number of scientific and security applications, although no bright sources of coherent radiation presently exist in this range. However, stacks of high-temperature superconducting intrinsic Josephson junctions are a promising candidate. [1] Here we discuss recent progress in improving the performance of these devices. In particular, we demonstrate that via control of bias voltage and operating temperature, the emission from an 80- μm wide Bi₂Sr₂CaCu₂O₈ mesa can be tuned continuously over a frequency range in excess of 10% in the vicinity of 0.5 THz. We find that as the emission frequency increases from 0.420 to 0.492 THz, the linewidth increases from <2.25 GHz (limited by instrument resolution) to \sim 9 GHz.

[1] L. Ozyuzer et al., Science 318 (2007) 1291-1293.

¹This work was supported by DOE-BES under Contract No. DE-AC02-06CH11357.

Timothy Benseman
Materials Science Division, Argonne National Laboratory, Argonne, IL 60439

Date submitted: 30 Dec 2010

Electronic form version 1.4